

## Percentage of whole person loss

(Percentages shown are maximums.)

124 Ear {hearing} 19% (1 ear); 60% (both ears)

130 Eye {vision} 31% (1 eye); 94% (both eyes)

311 Arm {includes elbow} 60%

315 Forearm 47%

320 Wrist {joint}/forearm 47%

330 Hand – metacarpals 47%

341 Thumb 15%

342 Index 8%

343 Middle 7%

344 Ring 3%

345 Little 2%

441 Hip/leg {no acetabular  
or pelvic involvement} 47%

500 Leg {multiple parts  
or due to spinal  
nerve root} 47%

511 Leg {thigh} 47%

513 Knee 47%

515 Lower leg 42%

520 Ankle 42%

530 Foot 42%


541 Great toe 6%

542 Second toe 1%

543 Third toe 1%

544 Fourth toe 1%

545 Fifth toe 1%



110 Brain

126 Auditory system

132 Visual system

198 Head {general}

200 Cervical {neck}

410 Abdomen

415 Groin

420 Back {multiple}

422 Thoracic {upper or mid} back

423 Lumbosacral {low} back

430 Chest

440 Hip {pelvis and/or  
acetabulum involvement}

445 Pelvis (fractures)  
{if acetabulum only, use 440}

450 Shoulder

## Body Systems

600 Integumentary

801 Cardiovascular  
(previously circulatory)

802 Heart

803 Hematopoietic

820 Gastrointestinal/genitourinary  
(previously excretory)

840 Spinal cord (previously central  
nervous system)

850 Respiratory

880 Other body systems

881 Psychological

900 Other body parts/conditions

{ } Instruction as to when to use the specific code  
Identify right (R) or left (L) (whenever relevant);  
if both eyes or ears affected, use both (B).