

**APPENDIX N**  
*Oregon Structural Specialty Code*  
**Special Amendment**  
**Section AN103.6 Carbon Monoxide**

***Effective Date: April 1, 2011***

Contact: Richard S. Rogers  
Structural Program Chief  
[richard.rogers@state.or.us](mailto:richard.rogers@state.or.us)

New code section AN103.6 has been adopted by the State of Oregon.

*With the passage of House Bill 3450, the Lofgren and Zander Memorial Act, carbon monoxide alarms will now be required in all newly constructed Group R occupancies as identified in Section 310 of the Oregon Structural Specialty Code (OSSC) which is based on the 2009 International Building Code (IBC). Examples of these uses may be characterized as; hotels, motels, apartments, dormitories, fraternities, sororities and residential care/assisted living facilities. In addition, SR-3 and SR-4 occupancies as defined in OSSC Appendix SR are included as they are principally built to “residential” standards. **Per the terms of the bill, these requirements are applicable to affected structures submitted for plan review as of April 1, 2011.***

This code has been prepared as an insert page for the 2010 OSSC. Pages are formatted so that when inserted, the amendments will face the page containing the existing code language.

**AN103.6 Carbon Monoxide alarms.** Carbon Monoxide alarms shall be installed in dwelling units of buildings regulated by this appendix in accordance with *Oregon Residential Specialty Code*, Section R326. ||