



Top 25 standards violated Oregon OSHA construction inspections, 2003

Rank	Standard violated	Subject	Total violations	Serious	Repeat	Willful	Other	Total initial penalties	Serious	Repeat	Willful	Other
1	437-3-1501	General fall protection requirements	370	314	55	0	1	\$385,185	\$126,660	\$258,400	\$0	\$125
2	437-3-503(2)(a)	Written certification of fall protection training required	65	7	2	0	56	\$1,955	\$1,155	\$800	\$0	\$0
3	1926.100(a)	Protective helmets	62	59	1	0	2	\$11,815	\$10,815	\$1,000	\$0	\$0
4	437-3-1501(2)	Fall protection requirements - wall openings	55	51	4	0	0	\$13,920	\$11,520	\$2,400	\$0	\$0
5	437-1-760(1)(a)	Safe operation of equipment training	45	44	1	0	0	\$37,360	\$32,360	\$5,000	\$0	\$0
6	1926.652(a)(1)	Trenches shored	44	41	3	0	0	\$30,720	\$26,520	\$4,200	\$0	\$0
7	437-3-503(1)(a)	Fall protection training program required	44	36	1	0	7	\$20,325	\$17,325	\$3,000	\$0	\$0
8	1926.59(e)(1)	Written hazard-communication program	39	1	1	0	37	\$475	\$275	\$200	\$0	\$0
9	437-3-1501(3)	Fall protection requirements - floors, balconies etc.	34	33	1	0	0	\$7,020	\$6,020	\$1,000	\$0	\$0
10	437-1-765(2)(a)	Safety committee - 11+ employees	33	0	0	0	33	\$8,650	\$0	\$0	\$0	\$8,650
11	1926.1052(c)(1)	Handrails on stairways with 4+ risers	32	24	0	0	8	\$2,885	\$2,885	\$0	\$0	\$0
12	1926.1053(b)(1)	Portable ladder 3 feet above surface	29	25	1	0	3	\$9,120	\$4,120	\$5,000	\$0	\$0
13	1926.451(g)(1)(l)	Scaffold fall protection - lower level	29	22	7	0	0	\$26,650	\$6,550	\$20,100	\$0	\$0
14	1910.1200(e)(1)	Written hazard-communication program	28	1	0	0	27	\$165	\$165	\$0	\$0	\$0
15	1926.451(g)(1)	Scaffold fall protection - lower level	27	24	3	0	0	\$11,355	\$5,255	\$6,100	\$0	\$0
16	1910.178(l)(6)	Certification for powered industrial truck operator	26	3	0	0	23	\$560	\$560	\$0	\$0	\$0
17	1910.22(d)(1)	Approved floor loads marked on plates	25	0	0	0	25	\$0	\$0	\$0	\$0	\$0
18	437-3-420(1)	Adequate traffic controls	25	19	6	0	0	\$11,890	\$4,090	\$7,800	\$0	\$0
19	437-1-765(6)(d)(A)(i)	Procedures for inspection by safety committee	23	1	0	0	22	\$0	\$0	\$0	\$0	\$0
20	1910.23(c)(1)	Guarding open-sided floors, platforms	17	14	0	0	3	\$2,800	\$2,800	\$0	\$0	\$0
21	1926.1053(b)(4)	Ladders used for designed purpose	17	15	0	0	2	\$2,130	\$2,130	\$0	\$0	\$0
22	1926.651(c)(2)	Means of egress from trenches	17	11	0	0	6	\$2,020	\$2,020	\$0	\$0	\$0
23	1926.453(b)(2)(v)	PPE requirements when in aerial lift	16	15	0	0	1	\$4,485	\$4,385	\$0	\$0	\$100
24	437-1-765(2)(b)(B)	Safety committee - small employer, non-agriculture	16	0	1	0	15	\$8,000	\$0	\$1,000	\$0	\$7,000
25	437-1-765(6)(a)(B)	Regular safety committee meetings	16	0	1	0	15	\$200	\$0	\$200	\$0	\$0

Note: Standards selected were cited during inspections opened in calendar year 2003.

Source: Research & Analysis Section, Oregon Department of Consumer and Business Services 11/04