



## Top 25 standards violated Oregon OSHA agricultural labor housing inspections, 2003

Rank	Standard violated	Subject	Total violations	Serious	Repeat	Willful	Other	Total initial penalties	Serious	Repeat	Willful	Other
1	437-4-1120(6)(k)	Electrical wiring and lighting fixtures	17	3	2	0	12	\$810	\$410	\$400	\$0	\$0
2	437-4-1305(4)(a)	Requirement to develop emergency medical plan	17	0	1	0	16	\$200	\$0	\$200	\$0	\$0
3	437-4-1120(17)(b)	Working & approved smoke detector required	16	0	1	0	15	\$200	\$0	\$200	\$0	\$0
4	437-4-1120(12)(h)	Common use toilet facilities	14	0	1	0	13	\$200	\$0	\$200	\$0	\$0
5	437-4-1120(6)(f)	Housing operator to maintain facility	14	0	0	0	14	\$0	\$0	\$0	\$0	\$0
6	437-4-1120(7)(b)	Bacterial analysis of drinking water	12	0	0	0	12	\$0	\$0	\$0	\$0	\$0
7	437-4-1120(16)(b)	Wall, roof, floors of living area	11	0	0	0	11	\$0	\$0	\$0	\$0	\$0
8	437-4-1120(5)(b)	Agricultural labor housing registered each year	11	0	0	0	11	\$55,000	\$0	\$0	\$0	\$55,000
9	437-4-1120(8)(a)	Adequate supply of hot/cold water required	11	0	0	0	11	\$0	\$0	\$0	\$0	\$0
10	437-4-1120(18)(a)(D)	Food storage & preparation areas	10	0	0	0	10	\$0	\$0	\$0	\$0	\$0
11	437-4-1120(8)(b)	Floor/wall finish - laundry/toilet area	10	0	1	0	9	\$200	\$0	\$200	\$0	\$0
12	437-4-1120(16)(e)	Screens on doors and windows	8	0	1	0	7	\$200	\$0	\$200	\$0	\$0
13	437-4-1120(16)(g)	Beds must be provided for occupants	8	0	0	0	8	\$0	\$0	\$0	\$0	\$0
14	437-4-1305(2)(a)	First aid supplies provided and available	8	0	1	0	7	\$200	\$0	\$200	\$0	\$0
15	437-4-1120(10)(a)	Hand washing basin for every 15 occupants	7	0	0	0	7	\$0	\$0	\$0	\$0	\$0
16	437-4-1120(5)(b)(D)	Requirements for display of ALH registration certification	7	0	0	0	7	\$0	\$0	\$0	\$0	\$0
17	437-4-1120(6)(o)	Lights in corridors and walkways	7	0	0	0	7	\$0	\$0	\$0	\$0	\$0
18	437-4-1120(15)(f)	Burning garbage prohibited	6	0	0	0	6	\$0	\$0	\$0	\$0	\$0
19	437-4-1120(6)(k)(A)	Extension cords must have circuit breaker protection	6	0	0	0	6	\$0	\$0	\$0	\$0	\$0
20	437-4-1120(18)(a)(B)	Requirements for cooking facilities	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
21	437-4-1120(6)(b)	Grass and weeds must be 30 ft. from buildings	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
22	437-4-1120(6)(i)	No livestock allowed when site is occupied	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
23	437-4-1120(8)(d)	Facilities to be clean and operational	5	0	1	0	4	\$200	\$0	\$200	\$0	\$0
24	437-4-1120(13)(a)	Privies must comply with DEQ standards	4	0	0	0	4	\$0	\$0	\$0	\$0	\$0
25	437-4-1120(16)(g)(A)	Mattress or pad must be provided	4	0	2	0	2	\$400	\$0	\$400	\$0	\$0

Note: Standards selected were cited during agricultural labor housing inspections opened in calendar year 2003.

Source: Research & Analysis Section, Oregon Department of Consumer and Business Services 01/05