



Top 25 standards violated Oregon OSHA agriculture labor housing inspections, 2005

Rank	Standard violated	Subject	Total violations	Serious	Repeat	Willful	Other	Total initial penalties	Serious	Repeat	Willful	Other
1	437-4-1120(18)(a)(D)	Food storage and preparation areas	11	0	0	0	11	\$0	\$0	\$0	\$0	\$0
2	437-4-1120(5)(b)(D)	Requirements for display of ALH registration certificate	9	0	0	0	9	\$0	\$0	\$0	\$0	\$0
3	437-4-1120(16)(a)	Living structures safe and in good repair	8	2	0	0	6	\$330	\$330	\$0	\$0	\$0
4	437-4-1120(6)(k)	Electrical wiring and lighting fixtures	7	2	0	0	5	\$605	\$605	\$0	\$0	\$0
5	437-4-1120(8)(b)	Floor and wall finish - laundry and toilet area	7	0	0	0	7	\$0	\$0	\$0	\$0	\$0
6	437-4-1120(12)(h)	Common use toilet facilities	6	0	1	0	5	\$200	\$0	\$200	\$0	\$0
7	437-4-1120(16)(e)	Screens on doors and windows	6	0	0	0	6	\$0	\$0	\$0	\$0	\$0
8	437-4-1120(6)(f)	Housing operator to maintain facilities	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
9	437-4-1120(8)(d)	Facilities to be clean and operational	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
10	437-4-1305(2)(a)	First-aid supplies provided and available	5	0	1	0	4	\$200	\$0	\$200	\$0	\$0
11	437-4-1305(4)(b)	Emergency medical plan - local response	5	0	0	0	5	\$0	\$0	\$0	\$0	\$0
12	437-4-1120(6)(a)	Grounds of housing free from refuge, garbage, etc.	4	1	0	0	3	\$165	\$165	\$0	\$0	\$0
13	437-4-1120(6)(o)	Lights in corridors and walkways	4	0	0	0	4	\$0	\$0	\$0	\$0	\$0
14	437-4-1120(6)(p)	Display of street numbers	4	0	0	0	4	\$0	\$0	\$0	\$0	\$0
15	437-4-1120(16)(g)	Beds must be provided for occupants	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
16	437-4-1120(16)(g)(A)	Mattress or pad provided for occupants	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
17	437-4-1120(16)(h)	Mattresses or pads in good repair	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
18	437-4-1120(17)(b)	Working and approved smoke detector required	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
19	437-4-1110(5)(a)	Potable drinking water availability	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
20	437-4-1110(6)(g)	Location of toilet and handwashing facilities	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
21	437-4-1120(16)(b)	Walls, roof, floors of living area	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
22	437-4-1120(16)(g)(A)(i)	Foam pads thicker than 2 inches	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
23	437-4-1120(16)(h)(A)	Uncovered mattresses or pads must be fumigated	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
24	437-4-1120(16)(k)	Required space in sleeping area with bunk beds	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
25	437-4-1120(5)(b)	Agriculture labor housing registered each year	2	0	0	0	2	\$2,750	\$0	\$0	\$0	\$2,750

Note: Standards selected were cited during inspections opened in calendar year 2005.

Source: Information Management Division, Research & Analysis Section, Oregon Department of Consumer and Business Services, September 2006

Information Management Division
 Research & Analysis Section
 350 Winter St. NE Room 300
 P.O. Box 14480
 Salem, OR 97309-0405

440-2479d (10/06/COM)