

## Top 25 Standards Violated

*Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2008*  
*Industry: Agriculture Labor Housing*  
*Category: Safety and Health*

Questions?

Contact  
Natalia Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

07/16/10 12:10 PM

Rank	Standard Violated	Subject	Total Violations	Serious	Repeat	Willful	Other	Total Initial Penalties	Serious	Repeat	Willful	Other
1	437-4-1120(16)	Living areas for agricultural labor housing	77	4	3	0	70	\$1,725	\$825	\$900	\$0	\$0
2	437-4-1120(6)	Site requirements for agricultural labor housing	35	4	3	0	28	\$1,430	\$830	\$600	\$0	\$0
3	437-4-1120(12)	Toilet facilities for agricultural labor housing	24	0	0	0	24	\$0	\$0	\$0	\$0	\$0
4	437-4-1120(8)	General bathing/laundry req. for ag. labor housing	17	0	2	0	15	\$400	\$0	\$400	\$0	\$0
5	437-4-1120(7)	Water supply for agricultural labor housing	16	0	1	0	15	\$200	\$0	\$200	\$0	\$0
6	437-4-1305(2)	First aid supplies	12	0	0	0	12	\$0	\$0	\$0	\$0	\$0
7	437-4-1305(4)	Emergency medical plan	11	0	0	0	11	\$0	\$0	\$0	\$0	\$0
8	437-4-1450(7)	Annual inspection of fire extinguishers	11	0	1	0	10	\$200	\$0	\$200	\$0	\$0
9	437-4-1120(5)	Agricultural labor housing registration requirements	7	0	0	0	7	\$0	\$0	\$0	\$0	\$0
10	437-4-2900(1)	Permanent and continuous grounding	7	4	1	0	2	\$1,290	\$690	\$600	\$0	\$0
11	437-4-1120(15)	Garbage and refuse disposal for ag. labor housing	6	0	1	0	5	\$200	\$0	\$200	\$0	\$0
12	437-4-1120(17)	Fire protection for agricultural labor housing	6	6	0	0	0	\$1,425	\$1,425	\$0	\$0	\$0
13	437-4-1120(18)	Cooking and eating facilities for ag. labor housing	6	1	0	0	5	\$210	\$210	\$0	\$0	\$0
14	437-4-1120(9)	Bathing facilities for agricultural labor housing	6	0	0	0	6	\$0	\$0	\$0	\$0	\$0
15	437-4-2810(18)	Covers or faceplates for wall plugs and switches	5	3	0	0	2	\$505	\$505	\$0	\$0	\$0
16	437-4-2870(4)	Proper continuity for polarized attachment plugs	4	1	0	0	3	\$165	\$165	\$0	\$0	\$0
17	437-4-1120(14)	Sewage disposal and plumbing for ag. labor housing	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
18	437-4-1120(20)	Single unit cooking facilities for ag. labor housing	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
19	437-4-2810(14)	Electrical equipment free from hazards	3	3	0	0	0	\$570	\$570	\$0	\$0	\$0
20	437-4-2810(15)	Follow manufacturer's instructions when installing	3	0	0	0	3	\$0	\$0	\$0	\$0	\$0
21	437-4-2880(3)	Grounding of fixed electrical equipment	3	1	0	0	2	\$165	\$165	\$0	\$0	\$0
22	437-4-1120(11)	Laundry facilities for agricultural labor housing	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
23	437-4-2810(19)	No exposed live electrical parts	2	1	0	0	1	\$210	\$210	\$0	\$0	\$0
24	437-4-2860(8)	Use of flexible cables and extension cords	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0
25	437-4-2870(1)	Attachment plugs durable enough for rough use	2	0	0	0	2	\$0	\$0	\$0	\$0	\$0

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).