

## Top 25 Standards Violated

Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009  
Industry: All Industries  
Category: Safety and Health

Questions?

Contact  
Natasha Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

08/12/10 09:24 AM

| Rank | Standard Violated | Subject  | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious   | Repeat    | Willful | Other |
|------|-------------------|--|------------------|---------|--------|---------|-------|-------------------------|-----------|-----------|---------|-------|
| 1    | 1910.1200(e)      | Written hazard communication program   | 360              | 37      | 3      | 0       | 320   | \$8,140                 | \$7,140   | \$1,000   | \$0     | \$0   |
| 2    | 437-3-1501        | General fall-protection requirements   | 334              | 283     | 51     | 0       | 0     | \$323,365               | \$109,615 | \$213,750 | \$0     | \$0   |
| 3    | 437-2-187(2)      | Rules regarding inspection and maintenance of fire extinguishers             | 320              | 4       | 0      | 0       | 316   | \$905                   | \$905     | \$0       | \$0     | \$0   |
| 4    | 1910.305(b)       | Wiring requirements for cabinets, boxes, and fittings                        | 294              | 158     | 0      | 0       | 136   | \$31,380                | \$31,380  | \$0       | \$0     | \$0   |
| 5    | 1910.132(d)       | Hazard assessment and equipment selection                                    | 289              | 30      | 1      | 0       | 258   | \$8,245                 | \$8,045   | \$200     | \$0     | \$0   |
| 6    | 437-1-765(1)      | Rules about safety committees or safety meetings                             | 277              | 78      | 5      | 0       | 194   | \$28,655                | \$20,420  | \$7,300   | \$0     | \$935 |
| 7    | 1910.305(g)       | Wiring requirements for flexible cords and cables                            | 233              | 21      | 1      | 0       | 211   | \$4,340                 | \$3,570   | \$200     | \$0     | \$570 |
| 8    | 1910.147(c)       | Control of hazardous energy - general requirements                           | 214              | 93      | 0      | 0       | 121   | \$62,715                | \$62,715  | \$0       | \$0     | \$0   |
| 9    | 437-1-760(1)      | Employers' responsibilities  | 207              | 181     | 11     | 0       | 15    | \$182,785               | \$143,520 | \$39,100  | \$0     | \$165 |
| 10   | 437-2-041(8)      | Condition of exit routes and exits   | 189              | 9       | 0      | 0       | 180   | \$1,680                 | \$1,680   | \$0       | \$0     | \$0   |
| 11   | 1910.178(l)       | Training for operators of powered industrial trucks                          | 186              | 37      | 0      | 0       | 149   | \$12,150                | \$12,150  | \$0       | \$0     | \$0   |
| 12   | 1910.303(g)       | Requirements for electric equipment operating at 600 volts, nominal, or less | 184              | 35      | 0      | 0       | 149   | \$11,330                | \$11,330  | \$0       | \$0     | \$0   |
| 13   | 437-2-187(1)      | Requirements if you provide extinguishers in the workplace                   | 179              | 4       | 0      | 0       | 175   | \$550                   | \$550     | \$0       | \$0     | \$0   |
| 14   | 1910.215(b)       | Guarding of abrasive wheel machinery   | 178              | 156     | 3      | 0       | 19    | \$34,355                | \$29,555  | \$4,800   | \$0     | \$0   |
| 15   | 1926.1053(b)      | Requirements for use of ladders  | 167              | 137     | 6      | 0       | 24    | \$29,925                | \$25,245  | \$4,500   | \$0     | \$180 |
| 16   | 1910.212(a)       | Machine guarding   | 158              | 154     | 1      | 0       | 3     | \$56,780                | \$56,180  | \$600     | \$0     | \$0   |
| 17   | 1910.303(b)       | Examination, installation, and use of equipment                              | 158              | 33      | 1      | 0       | 124   | \$6,545                 | \$6,345   | \$200     | \$0     | \$0   |
| 18   | 1910.304(g)       | Grounding requirements for systems, circuits, and equipment                  | 154              | 45      | 0      | 0       | 109   | \$10,255                | \$10,090  | \$0       | \$0     | \$165 |
| 19   | 1910.242(b)       | Compressed air used for cleaning   | 145              | 113     | 0      | 0       | 32    | \$20,730                | \$20,630  | \$0       | \$0     | \$100 |
| 20   | 1910.1200(g)      | Material safety data sheets  | 138              | 12      | 2      | 0       | 124   | \$2,305                 | \$1,905   | \$400     | \$0     | \$0   |
| 21   | 1910.334(a)       | Use of portable electric equipment   | 122              | 26      | 1      | 0       | 95    | \$10,975                | \$10,775  | \$200     | \$0     | \$0   |
| 22   | 1910.215(a)       | Abrasive wheel machinery - general requirements                              | 121              | 90      | 0      | 0       | 31    | \$18,490                | \$18,490  | \$0       | \$0     | \$0   |
| 23   | 1910.134(c)       | Respiratory protection program   | 116              | 47      | 2      | 0       | 67    | \$11,275                | \$10,875  | \$400     | \$0     | \$0   |
| 24   | 1910.132(f)       | PPE general training requirements  | 112              | 2       | 0      | 0       | 110   | \$465                   | \$465     | \$0       | \$0     | \$0   |
| 25   | 1910.1200(h)      | Employee information and training  | 109              | 38      | 1      | 0       | 70    | \$9,750                 | \$9,550   | \$200     | \$0     | \$0   |

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

440-2479

## Top 25 Standards Violated

Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009  
Industry: Construction  
Category: Safety and Health

Questions?

Contact  
Natalia Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

08/12/10 09:26 AM

| Rank | Standard Violated | Subject   | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious  | Repeat    | Willful | Other |
|------|-------------------|---|------------------|---------|--------|---------|-------|-------------------------|----------|-----------|---------|-------|
| 1    | 437-3-1501        | General fall-protection requirements  | 313              | 263     | 50     | 0       | 0     | \$311,685               | \$98,535 | \$213,150 | \$0     | \$0   |
| 2    | 1926.1053(b)      | Requirements for use of ladders   | 161              | 131     | 6      | 0       | 24    | \$29,195                | \$24,515 | \$4,500   | \$0     | \$180 |
| 3    | 437-3-503(2)      | Certification of fall-protection training                                       | 102              | 9       | 5      | 0       | 88    | \$4,905                 | \$1,925  | \$2,980   | \$0     | \$0   |
| 4    | 437-3-503(1)      | Fall protection training program  | 80               | 62      | 4      | 0       | 14    | \$20,255                | \$17,055 | \$3,200   | \$0     | \$0   |
| 5    | 437-1-760(1)      | Employers' responsibilities   | 65               | 54      | 10     | 0       | 1     | \$63,695                | \$39,595 | \$24,100  | \$0     | \$0   |
| 6    | 1926.59(e)        | Written hazard communication program  | 64               | 9       | 0      | 0       | 55    | \$1,435                 | \$1,435  | \$0       | \$0     | \$0   |
| 7    | 1926.62(d)        | Lead exposure assessment  | 64               | 43      | 0      | 0       | 21    | \$11,200                | \$11,200 | \$0       | \$0     | \$0   |
| 8    | 1926.451(g)       | Fall protection   | 58               | 54      | 4      | 0       | 0     | \$28,405                | \$19,205 | \$9,200   | \$0     | \$0   |
| 9    | 437-1-765(13)     | Documentation of safety committee meetings                                      | 50               | 5       | 0      | 0       | 45    | \$1,250                 | \$1,250  | \$0       | \$0     | \$0   |
| 10   | 1926.103(c)       | Respiratory protection program  | 47               | 14      | 0      | 0       | 33    | \$2,455                 | \$2,455  | \$0       | \$0     | \$0   |
| 11   | 1926.1052(c)      | Stairrails and handrails  | 41               | 31      | 0      | 0       | 10    | \$4,590                 | \$4,590  | \$0       | \$0     | \$0   |
| 12   | 1926.502(d)       | Personal fall-arrest systems  | 40               | 36      | 0      | 0       | 4     | \$11,835                | \$11,835 | \$0       | \$0     | \$0   |
| 13   | 437-2-187(2)      | Rules regarding inspection and maintenance of fire extinguishers                | 39               | 1       | 0      | 0       | 38    | \$195                   | \$195    | \$0       | \$0     | \$0   |
| 14   | 437-3-1501(3)     | Fall protection for established floors and walkways                             | 36               | 34      | 1      | 0       | 1     | \$8,375                 | \$7,375  | \$1,000   | \$0     | \$0   |
| 15   | 437-3-073(2)      | Personal fall protection for boom supported elevating platforms                 | 35               | 31      | 3      | 0       | 1     | \$14,635                | \$12,835 | \$1,800   | \$0     | \$0   |
| 16   | 1926.652(a)       | Protection of employees in excavations  | 34               | 30      | 4      | 0       | 0     | \$55,725                | \$27,725 | \$28,000  | \$0     | \$0   |
| 17   | 437-1-765(1)      | Rules about safety committees or safety meetings                                | 34               | 17      | 4      | 0       | 13    | \$10,870                | \$3,770  | \$7,100   | \$0     | \$0   |
| 18   | 437-3-1501(2)     | Fall protection for wall openings   | 34               | 31      | 2      | 0       | 1     | \$7,455                 | \$5,855  | \$1,600   | \$0     | \$0   |
| 19   | 1926.100(a)       | Protective helmets  | 31               | 29      | 2      | 0       | 0     | \$9,590                 | \$3,990  | \$5,600   | \$0     | \$0   |
| 20   | 1926.59(g)        | Material safety data sheets (MSDS)  | 31               | 1       | 0      | 0       | 30    | \$165                   | \$165    | \$0       | \$0     | \$0   |
| 21   | 1910.178(l)       | Training for operators of powered industrial trucks                             | 28               | 3       | 0      | 0       | 25    | \$780                   | \$780    | \$0       | \$0     | \$0   |
| 22   | 1926.405(g)       | Use of flexible cords and cables  | 28               | 3       | 0      | 0       | 25    | \$430                   | \$430    | \$0       | \$0     | \$0   |
| 23   | 1926.59(h)        | Employees must be provided with information and training on hazardous chemicals | 28               | 7       | 0      | 0       | 21    | \$1,105                 | \$1,105  | \$0       | \$0     | \$0   |
| 24   | 1926.150(c)       | Portable firefighting equipment   | 25               | 1       | 0      | 0       | 24    | \$105                   | \$105    | \$0       | \$0     | \$0   |
| 25   | 1910.215(b)       | Guarding of abrasive wheel machinery  | 24               | 23      | 0      | 0       | 1     | \$5,000                 | \$5,000  | \$0       | \$0     | \$0   |

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

1. Industry is classified according to the North American Industrial Classification System (NAICS), 2002 edition.
2. Construction is classified as NAICS 23\*.

440-2479

## Top 25 Standards Violated

Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009  
Industry: Forest Activities  
Category: Safety and Health

Questions?

Contact  
Natalia Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

08/12/10 09:26 AM

| Rank | Standard Violated | Subject   | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious | Repeat  | Willful | Other |
|------|-------------------|---|------------------|---------|--------|---------|-------|-------------------------|---------|---------|---------|-------|
| 1    | 437-7-220(3)      | First-aid and CPR training  | 31               | 3       | 3      | 0       | 25    | \$1,595                 | \$995   | \$600   | \$0     | \$0   |
| 2    | 437-7-220(11)     | Minimum supplies for first-aid kits   | 20               | 2       | 0      | 0       | 18    | \$265                   | \$265   | \$0     | \$0     | \$0   |
| 3    | 437-7-220(6)      | Written land directions and worksite location                                   | 16               | 0       | 1      | 0       | 15    | \$200                   | \$0     | \$200   | \$0     | \$0   |
| 4    | 437-7-310         | Requirements for upper body protective equipment of a highly visible color      | 12               | 6       | 0      | 0       | 6     | \$980                   | \$980   | \$0     | \$0     | \$0   |
| 5    | 437-7-300(1)      | Personal protective equipment - safe and effective condition                    | 9                | 7       | 0      | 0       | 2     | \$850                   | \$850   | \$0     | \$0     | \$0   |
| 6    | 437-7-100         | Every employer must implement a written safety and health program               | 7                | 2       | 0      | 0       | 5     | \$615                   | \$615   | \$0     | \$0     | \$0   |
| 7    | 437-7-130(4)      | Monthly safety meetings   | 7                | 3       | 0      | 0       | 4     | \$795                   | \$795   | \$0     | \$0     | \$0   |
| 8    | 437-7-940(3)      | Warning horn on all radio-controlled carriages                                  | 7                | 6       | 0      | 0       | 1     | \$1,185                 | \$1,085 | \$0     | \$0     | \$100 |
| 9    | 437-7-325         | Leg protection required when operating a chain saw                              | 6                | 5       | 1      | 0       | 0     | \$2,025                 | \$525   | \$1,500 | \$0     | \$0   |
| 10   | 437-7-770(18)     | Seat belts on all machines with ROPS/FOPS                                       | 6                | 5       | 0      | 0       | 1     | \$1,170                 | \$1,170 | \$0     | \$0     | \$0   |
| 11   | 1910.147(c)       | Control of hazardous energy - general requirements                              | 5                | 0       | 0      | 0       | 5     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 12   | 437-7-145(3)      | Written findings of annual evaluation   | 5                | 0       | 0      | 0       | 5     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 13   | 437-7-300(3)      | Defective personal protective equipment   | 5                | 4       | 0      | 0       | 1     | \$665                   | \$665   | \$0     | \$0     | \$0   |
| 14   | 437-7-575(4)      | Equipment being transported must be secured or separated from passengers        | 5                | 5       | 0      | 0       | 0     | \$735                   | \$735   | \$0     | \$0     | \$0   |
| 15   | 437-7-665(6)      | Requirements for using standing trees as anchors                                | 5                | 5       | 0      | 0       | 0     | \$4,575                 | \$4,575 | \$0     | \$0     | \$0   |
| 16   | 1910.95(g)        | Requirements for providing audiometric testing                                  | 4                | 0       | 0      | 0       | 4     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 17   | 437-7-730(2)      | Audible signaling device with unique tone required on log loading equipment     | 4                | 0       | 0      | 0       | 4     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 18   | 437-7-925(5)      | Personnel must be in the clear before any lines are moved                       | 4                | 4       | 0      | 0       | 0     | \$9,525                 | \$9,525 | \$0     | \$0     | \$0   |
| 19   | 1910.1200(e)      | Written hazard communication program  | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 20   | 1910.132(d)       | Hazard assessment and equipment selection                                       | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 21   | 1910.178(l)       | Training for operators of powered industrial trucks                             | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 22   | 437-1-700(21)     | Reporting fatalities and hospitalizations to Oregon OSHA                        | 3                | 1       | 0      | 0       | 2     | \$1,000                 | \$250   | \$0     | \$0     | \$750 |
| 23   | 437-7-1010(4)     | Rules on securing loads for transport   | 3                | 2       | 0      | 0       | 1     | \$205                   | \$205   | \$0     | \$0     | \$0   |
| 24   | 437-7-140(7)      | Written record of safety and health training                                    | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0     | \$0     | \$0   |
| 25   | 437-7-145(1)      | Each employer must review and evaluate their safety and health program annually | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0     | \$0     | \$0   |

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

1. Industry is classified according to the North American Industrial Classification System (NAICS), 2002 edition.
2. Forest activities is classified as NAICS 113\* and 1153\*.

440-2479

## Top 25 Standards Violated

Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009  
Industry: Agriculture  
Category: Safety and Health

Questions?

Contact  
Natasha Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

08/12/10 09:25 AM

| Rank | Standard Violated | Subject  | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious | Repeat | Willful | Other |
|------|-------------------|--|------------------|---------|--------|---------|-------|-------------------------|---------|--------|---------|-------|
| 1    | 437-4-1120(16)    | Living areas for agricultural labor housing                          | 71               | 1       | 4      | 0       | 66    | \$1,010                 | \$210   | \$800  | \$0     | \$0   |
| 2    | 437-4-1110(6)     | Toilet and handwashing facilities for hand labor work                | 34               | 3       | 3      | 0       | 28    | \$1,585                 | \$735   | \$600  | \$0     | \$250 |
| 3    | 170.122(c)        | Required pesticide application information                           | 32               | 1       | 0      | 0       | 31    | \$100                   | \$100   | \$0    | \$0     | \$0   |
| 4    | 437-4-1120(6)     | Site requirements for agricultural labor housing                     | 32               | 2       | 1      | 0       | 29    | \$575                   | \$375   | \$200  | \$0     | \$0   |
| 5    | 437-4-9800(4)     | Written hazard communication program                                 | 32               | 3       | 0      | 0       | 29    | \$1,535                 | \$1,535 | \$0    | \$0     | \$0   |
| 6    | 437-4-1041(3)     | Respiratory protection program                                       | 31               | 11      | 0      | 0       | 20    | \$2,690                 | \$2,690 | \$0    | \$0     | \$0   |
| 7    | 437-4-1120(11)    | Laundry facilities for agricultural labor housing                    | 29               | 0       | 0      | 0       | 29    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 8    | 437-4-1275(5)     | Control of hazardous energy (Lockout/Tagout)                         | 24               | 7       | 0      | 0       | 17    | \$2,385                 | \$2,385 | \$0    | \$0     | \$0   |
| 9    | 437-4-9800(6)     | Material safety data sheets (MSDS)                                   | 20               | 0       | 0      | 0       | 20    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 10   | 437-4-1120(7)     | Water supply for agricultural labor housing                          | 19               | 0       | 1      | 0       | 18    | \$200                   | \$0     | \$200  | \$0     | \$0   |
| 11   | 437-4-2350(3)     | Containers for storage of compressed gas                             | 17               | 8       | 0      | 0       | 9     | \$1,565                 | \$1,565 | \$0    | \$0     | \$0   |
| 12   | 437-4-1450(7)     | Annual inspection of fire extinguishers                              | 16               | 0       | 0      | 0       | 16    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 13   | 437-4-1120(17)    | Fire protection for agricultural labor housing                       | 14               | 0       | 1      | 0       | 13    | \$200                   | \$0     | \$200  | \$0     | \$0   |
| 14   | 437-4-1305(2)     | First-aid supplies   | 14               | 1       | 1      | 0       | 12    | \$380                   | \$180   | \$200  | \$0     | \$0   |
| 15   | 437-4-1305(5)     | Emergency eyewash and shower facilities                              | 14               | 10      | 0      | 0       | 4     | \$3,235                 | \$3,235 | \$0    | \$0     | \$0   |
| 16   | 437-4-9800(7)     | Employee information and training                                    | 14               | 2       | 0      | 0       | 12    | \$550                   | \$550   | \$0    | \$0     | \$0   |
| 17   | 170.240(f)        | Cleaning and maintenance of personal protective equipment            | 13               | 1       | 0      | 0       | 12    | \$165                   | \$165   | \$0    | \$0     | \$0   |
| 18   | 170.250(b)        | Handling pesticides and decontamination - general conditions         | 13               | 2       | 0      | 0       | 11    | \$330                   | \$330   | \$0    | \$0     | \$0   |
| 19   | 437-4-1120(12)    | Toilet facilities for agricultural labor housing                     | 13               | 1       | 0      | 0       | 12    | \$210                   | \$210   | \$0    | \$0     | \$0   |
| 20   | 437-4-1120(18)    | Cooking and eating facilities for ag. labor housing                  | 13               | 0       | 0      | 0       | 13    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 21   | 437-4-1120(8)     | General bathing/laundry req. for ag. labor housing                   | 13               | 0       | 0      | 0       | 13    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 22   | 437-4-1680(8)     | Sealants that prevent the absorption of chemicals                    | 13               | 1       | 0      | 0       | 12    | \$165                   | \$165   | \$0    | \$0     | \$0   |
| 23   | 437-4-1700(8)     | Training program required for operators of powered industrial trucks | 12               | 3       | 0      | 0       | 9     | \$810                   | \$810   | \$0    | \$0     | \$0   |
| 24   | 437-4-2810(18)    | Covers or faceplates for wall plugs and switches                     | 12               | 3       | 0      | 0       | 9     | \$580                   | \$580   | \$0    | \$0     | \$0   |
| 25   | 437-4-2900(1)     | Permanent and continuous grounding                                   | 11               | 4       | 0      | 0       | 7     | \$1,010                 | \$1,010 | \$0    | \$0     | \$0   |

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

1. Industry is classified according to the North American Industrial Classification System (NAICS), 2002 edition.
2. Agriculture is classified as NAICS 111\*, 112\*, 1151\*, and 1152\*.

440-2479

## Top 25 Standards Violated

*Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009*  
*Industry: Agriculture Labor Housing*  
*Category: Safety and Health*

Questions?

Contact  
Natalia Chapman  
(503) 947-7991

### Oregon OSHA - Enforcement

08/12/10 09:25 AM

| Rank | Standard Violated | Subject  | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious | Repeat | Willful | Other |
|------|-------------------|--|------------------|---------|--------|---------|-------|-------------------------|---------|--------|---------|-------|
| 1    | 437-4-1120(16)    | Living areas for agricultural labor housing  | 68               | 1       | 4      | 0       | 63    | \$1,010                 | \$210   | \$800  | \$0     | \$0   |
| 2    | 437-4-1120(6)     | Site requirements for agricultural labor housing                                   | 32               | 2       | 1      | 0       | 29    | \$575                   | \$375   | \$200  | \$0     | \$0   |
| 3    | 437-4-1120(11)    | Laundry facilities for agricultural labor housing                                  | 27               | 0       | 0      | 0       | 27    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 4    | 437-4-1120(7)     | Water supply for agricultural labor housing  | 19               | 0       | 1      | 0       | 18    | \$200                   | \$0     | \$200  | \$0     | \$0   |
| 5    | 437-4-1120(17)    | Fire protection for agricultural labor housing                                     | 14               | 0       | 1      | 0       | 13    | \$200                   | \$0     | \$200  | \$0     | \$0   |
| 6    | 437-4-1120(12)    | Toilet facilities for agricultural labor housing                                   | 13               | 1       | 0      | 0       | 12    | \$210                   | \$210   | \$0    | \$0     | \$0   |
| 7    | 437-4-1120(18)    | Cooking and eating facilities for ag. labor housing                                | 13               | 0       | 0      | 0       | 13    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 8    | 437-4-1120(8)     | General bathing/laundry req. for ag. labor housing                                 | 13               | 0       | 0      | 0       | 13    | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 9    | 437-4-1305(2)     | First-aid supplies   | 13               | 1       | 1      | 0       | 11    | \$380                   | \$180   | \$200  | \$0     | \$0   |
| 10   | 437-4-1120(5)     | Agricultural labor housing registration requirements                               | 9                | 1       | 0      | 0       | 8     | \$5,000                 | \$5,000 | \$0    | \$0     | \$0   |
| 11   | 437-4-1450(7)     | Annual inspection of fire extinguishers  | 7                | 0       | 0      | 0       | 7     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 12   | 437-4-1120(10)    | Hand washing facilities for agricultural labor housing                             | 6                | 0       | 0      | 0       | 6     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 13   | 437-4-1120(15)    | Garbage and refuse disposal for ag. labor housing                                  | 6                | 0       | 0      | 0       | 6     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 14   | 437-4-1120(9)     | Bathing facilities for agricultural labor housing                                  | 6                | 0       | 0      | 0       | 6     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 15   | 437-4-2810(18)    | Covers or faceplates for wall plugs and switches                                   | 6                | 1       | 0      | 0       | 5     | \$100                   | \$100   | \$0    | \$0     | \$0   |
| 16   | 437-4-1120(20)    | Single unit cooking facilities for ag. labor housing                               | 5                | 1       | 0      | 0       | 4     | \$210                   | \$210   | \$0    | \$0     | \$0   |
| 17   | 437-4-2860(8)     | Use of flexible cables and extension cords   | 5                | 0       | 0      | 0       | 5     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 18   | 437-4-1120(13)    | Portable toilets, chemical toilets and privies: location, servicing, lighting reqs | 4                | 0       | 0      | 0       | 4     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 19   | 437-4-2900(1)     | Permanent and continuous grounding   | 4                | 1       | 0      | 0       | 3     | \$165                   | \$165   | \$0    | \$0     | \$0   |
| 20   | 437-4-1305(4)     | Emergency medical plan   | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 21   | 437-4-2860(1)     | Requirements for extension cords for portable tools and appliances                 | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 22   | 437-4-2880(3)     | Grounding of fixed electrical equipment  | 3                | 0       | 0      | 0       | 3     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 23   | 437-4-1041(3)     | Respiratory protection program   | 2                | 0       | 0      | 0       | 2     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 24   | 437-4-2810(11)    | Requirements for space needed around electrical equipment                          | 2                | 0       | 0      | 0       | 2     | \$0                     | \$0     | \$0    | \$0     | \$0   |
| 25   | 437-4-2810(15)    | Follow manufacturer's instructions when installing                                 | 2                | 0       | 0      | 0       | 2     | \$0                     | \$0     | \$0    | \$0     | \$0   |

**Note:** Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

440-2479