

Top 25 Standards Violated

*Standards Cited During Oregon OSHA Inspections Opened in Calendar Year 2009
Industry: Agriculture Labor Housing
Category: Safety and Health*

Questions?

**Contact
Natasha Chapman
(503) 947-7991**

Oregon OSHA - Enforcement

08/12/10 09:25 AM

| Rank | Standard Violated | Subject | Total Violations | Serious | Repeat | Willful | Other | Total Initial Penalties | Serious | Repeat | Willful | Other |
|------|-------------------|--|------------------|---------|--------|---------|-------|-------------------------|---------|--------|---------|-------|
| 1 | 437-4-1120(16) | Living areas for agricultural labor housing | 68 | 1 | 4 | 0 | 63 | \$1,010 | \$210 | \$800 | \$0 | \$0 |
| 2 | 437-4-1120(6) | Site requirements for agricultural labor housing | 32 | 2 | 1 | 0 | 29 | \$575 | \$375 | \$200 | \$0 | \$0 |
| 3 | 437-4-1120(11) | Laundry facilities for agricultural labor housing | 27 | 0 | 0 | 0 | 27 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 4 | 437-4-1120(7) | Water supply for agricultural labor housing | 19 | 0 | 1 | 0 | 18 | \$200 | \$0 | \$200 | \$0 | \$0 |
| 5 | 437-4-1120(17) | Fire protection for agricultural labor housing | 14 | 0 | 1 | 0 | 13 | \$200 | \$0 | \$200 | \$0 | \$0 |
| 6 | 437-4-1120(12) | Toilet facilities for agricultural labor housing | 13 | 1 | 0 | 0 | 12 | \$210 | \$210 | \$0 | \$0 | \$0 |
| 7 | 437-4-1120(18) | Cooking and eating facilities for ag. labor housing | 13 | 0 | 0 | 0 | 13 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 8 | 437-4-1120(8) | General bathing/laundry req. for ag. labor housing | 13 | 0 | 0 | 0 | 13 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 9 | 437-4-1305(2) | First-aid supplies | 13 | 1 | 1 | 0 | 11 | \$380 | \$180 | \$200 | \$0 | \$0 |
| 10 | 437-4-1120(5) | Agricultural labor housing registration requirements | 9 | 1 | 0 | 0 | 8 | \$5,000 | \$5,000 | \$0 | \$0 | \$0 |
| 11 | 437-4-1450(7) | Annual inspection of fire extinguishers | 7 | 0 | 0 | 0 | 7 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 12 | 437-4-1120(10) | Hand washing facilities for agricultural labor housing | 6 | 0 | 0 | 0 | 6 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 13 | 437-4-1120(15) | Garbage and refuse disposal for ag. labor housing | 6 | 0 | 0 | 0 | 6 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 14 | 437-4-1120(9) | Bathing facilities for agricultural labor housing | 6 | 0 | 0 | 0 | 6 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 15 | 437-4-2810(18) | Covers or faceplates for wall plugs and switches | 6 | 1 | 0 | 0 | 5 | \$100 | \$100 | \$0 | \$0 | \$0 |
| 16 | 437-4-1120(20) | Single unit cooking facilities for ag. labor housing | 5 | 1 | 0 | 0 | 4 | \$210 | \$210 | \$0 | \$0 | \$0 |
| 17 | 437-4-2860(8) | Use of flexible cables and extension cords | 5 | 0 | 0 | 0 | 5 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 18 | 437-4-1120(13) | Portable toilets, chemical toilets and privies: location, servicing, lighting reqs | 4 | 0 | 0 | 0 | 4 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 19 | 437-4-2900(1) | Permanent and continuous grounding | 4 | 1 | 0 | 0 | 3 | \$165 | \$165 | \$0 | \$0 | \$0 |
| 20 | 437-4-1305(4) | Emergency medical plan | 3 | 0 | 0 | 0 | 3 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 21 | 437-4-2860(1) | Requirements for extension cords for portable tools and appliances | 3 | 0 | 0 | 0 | 3 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 22 | 437-4-2880(3) | Grounding of fixed electrical equipment | 3 | 0 | 0 | 0 | 3 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 23 | 437-4-1041(3) | Respiratory protection program | 2 | 0 | 0 | 0 | 2 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 24 | 437-4-2810(11) | Requirements for space needed around electrical equipment | 2 | 0 | 0 | 0 | 2 | \$0 | \$0 | \$0 | \$0 | \$0 |
| 25 | 437-4-2810(15) | Follow manufacturer's instructions when installing | 2 | 0 | 0 | 0 | 2 | \$0 | \$0 | \$0 | \$0 | \$0 |

Note: Standards violated have been summarized to the rule or first paragraph level and may therefore not reflect the complete standard cited by Oregon OSHA. This report is therefore not comparable to the published reports prior to 2008 where total counts and penalties were for the complete standard. The violation data for any calendar will not be complete until July 1 of the following year (e.g. for CY 2009 complete data will be available after 7/1/2010).

440-2479