



Twenty-five most frequently violated Oregon OSHA standards cited during inspections opened in calendar year 1995

Rank	Standard Violated	Subject	Total					Total Initial				
			Violations	Serious	Repeat	Willful	Other	Penalties	Serious	Repeat	Willful	Other
1	1910.1200 (E) (1)	Written hazard-communication program	401	38	9	1	353	\$18,090	\$9,710	\$2100	\$5,000	\$1280
2	1910.132 (D) (2)	Written certif. of hazard assessment	308	22	1	0	285	\$8,715	\$6,790	\$200	\$0	\$1,725
3	1910.305 (B) (1)	Conductors entering boxes, fittings	237	79	4	0	154	\$18,220	\$16,715	\$1,400	\$0	\$105
4	1910.305 (B) (2)	Junction box covers	236	23	6	0	207	\$9,280	\$5,010	\$4,000	\$0	\$270
5	437-1-765 (6) (B) (A)	Safety committee meeting - minutes	234	1	4	0	229	\$1,700	\$300	\$800	\$0	\$600
6	1910.215 (B) (9)	Abrasive wheel exposure adjustment	228	115	16	0	97	\$30,180	\$22,475	\$7,600	\$0	\$105
7	1910.212 (A) (1)	Machine guarding	195	160	2	0	33	\$51,045	\$49,680	\$1,200	\$0	\$165
8	1910.23 (C) (1)	Guarding open-sided floors, platforms	177	131	9	0	37	\$62,040	\$40,365	\$21,600	\$0	\$75
9	437-1-765 (6) (A) (B)	Regular safety committee meeting	173	5	3	0	165	\$4,765	\$1,355	\$600	\$0	\$2,810
10	1910.1200 (H) (1)	Hazardous chemicals, info-training	164	56	4	0	104	\$18,395	\$16,490	\$1,200	\$0	\$705
11	1910.132 (F) (4)	Certify pers protect equip training	158	1	0	0	157	\$810	\$450	\$0	\$0	\$360
12	1910.219 (E) (3) (I)	Vertical & inclined belt enclosures	147	133	5	0	9	\$40,350	\$35,750	\$4,600	\$0	\$0
13	437-1-705 (1)	OSHA 200 Log	146	1	2	0	143	\$11,600	\$1,250	\$400	\$0	\$9,950
14	437-1-765 (2) (A)	Safety committee	144	2	4	1	137	\$68,600	\$1,000	\$4,000	\$5,000	\$58,600
15	437-3-040 (1)	Fall protection	125	105	19	1	0	\$225,910	\$65,810	\$90,100	\$70,000	\$0
16	1910.1200 (F) (5) (I)	Hazardous chemical labels - warning	123	12	6	0	105	\$4,635	\$2,985	\$1,200	\$0	\$450
17	1910.305 (G) (1) (III)	Uses of flexible electrical cords	122	5	1	0	116	\$1,430	\$1,230	\$200	\$0	\$0
18	1910.304 (F) (4)	Permanent & continuous grounding path	113	17	2	0	94	\$4,055	\$3,310	\$400	\$0	\$345
19	437-2-161 (5) (A)	Eyewash fountains & deluge showers	108	68	1	0	39	\$15,635	\$14,975	\$600	\$0	\$60
20	1910.305 (G) (2) (III)	Flex electrical cords - strain relief	106	2	3	0	101	\$1,340	\$420	\$800	\$0	\$120
21	1910.157 (E) (3)	Portable fire extinguishers checked	104	0	1	0	103	\$410	\$0	\$200	\$0	\$210
22	437-1-760 (1) (A)	Safe operation of equipment training	104	90	6	1	7	\$195,325	\$121,645	\$23,500	\$50,000	\$180
23	1910.242 (B)	Use of compressed air for cleaning	102	38	5	0	59	\$8,310	\$5,765	\$2,200	\$0	\$345
24	1910.212 (A) (3) (II)	Point of operation of machine guarded	101	90	3	0	8	\$34,520	\$32,720	\$1,800	\$0	\$0
25	1926.404 (B) (1) (I)	Ground-fault protection used	97	14	5	0	78	\$4,440	\$2,440	\$1,800	\$0	\$200



Twenty-five most frequently violated Oregon OSHA standards cited during inspections opened in calendar year 1995

Construction

Rank	Standard Violated	Subject	Total					Total Initial				
			Violations	Serious	Repeat	Willful	Other	Penalties	Serious	Repeat	Willful	Other
1	437-3-040 (1)	Fall protection	114	96	18	0	0	\$136,335	\$58,735	\$77,600	\$0	\$0
2	1926.404 (B) (1) (I)	Ground-fault protection used	89	13	5	0	71	\$4,275	\$2,275	\$1,800	\$0	\$200
3	1926.501 (B) (1)	Guarding unprotected sides and edges	69	62	7	0	0	\$51,150	\$30,850	\$20,300	\$0	\$0
4	437-1-765 (6) (B) (A)	Safety committee meeting - minutes	63	1	0	0	62	\$300	\$300	\$0	\$0	\$0
5	1926.652 (A) (1)	Trenches shored	59	50	7	0	2	\$75,550	\$41,815	\$33,600	\$0	\$135
6	1926.404 (B) (1) (III) (C)	Cords, plugs visually inspected daily	57	5	3	0	49	\$1,510	\$790	\$600	\$0	\$120
7	1926.405 (G) (2) (IV)	Strain relief for flexible cords	56	2	1	0	53	\$1,300	\$300	\$1,000	\$0	\$0
8	1926.100 (A)	Protective helmets	53	33	3	0	17	\$6,545	\$4,745	\$1,800	\$0	\$0
9	1926.59 (E) (1)	Written hazard-communication program	48	3	0	0	45	\$605	\$605	\$0	\$0	\$0
10	1926.1052 (C) (1)	Handrails on stairways w/ 4+risers	44	19	1	0	24	\$4,130	\$3,930	\$200	\$0	\$0
11	437-1-765 (2) (B) (B)	Safety committee - small emp. non-ag	43	0	2	0	41	\$16,350	\$0	\$2,000	\$0	\$14,350
12	1926.152 (A) (1)	Flammable/combust liquids - container	42	1	3	0	38	\$700	\$100	\$600	\$0	\$0
13	1926.1053 (B) (1)	Portable ladder 3 feet above surface	36	24	1	0	11	\$3,755	\$3,495	\$200	\$0	\$60
14	1926.25 (A)	Housekeeping - work areas cleared	36	3	4	1	29	\$2,425	\$515	\$1,400	\$0	\$510
15	1926.404 (F) (6)	Permanent & continuous grounding path	36	13	0	1	23	\$2,675	\$2,615	\$0	\$0	\$60
16	1926.501 (B) (13)	Fall protection-residential construction	33	31	2	0	0	\$14,450	\$13,250	\$1,200	\$0	\$0
17	1926.500 (D) (1)	Guarding open-sided floors, platforms	32	26	3	0	3	\$31,380	\$5,180	\$26,200	\$0	\$0
18	1926.651 (C) (2)	Means of egress from trenches	32	11	2	0	19	\$16,655	\$10,655	\$6,000	\$0	\$0
19	1926.1053 (B) (16)	Defective ladders marked	29	4	0	0	25	\$835	\$835	\$0	\$0	\$0
20	1926.404 (B) (1) (III) (E)	Equipment grounding conductor program	28	2	1	0	25	\$650	\$450	\$200	\$0	\$0
21	1926.451 (A) (13)	Scaffolding access ladder	28	19	5	0	4	\$7,285	\$3,685	\$3,600	\$0	\$0
22	1926.701 (B)	Guarding protruding reinforcing steel	28	18	2	1	8	\$7,940	\$7,035	\$800	\$0	\$105
23	437-3-420 (1)	Adequate traffic controls	28	17	4	0	7	\$36,855	\$5,655	\$31,200	\$0	\$0
24	1926.405 (A) (2) (II) (I)	Cords, cables protected from damage	27	1	2	0	24	\$1,300	\$100	\$1,200	\$0	\$0
25	1926.501 (B) (10)	Fall protection on low slope roofs	27	27	0	0	0	\$12,020	\$12,020	\$0	\$0	\$0