

Table 1. Number and percentage of accepted disabling claims¹ by accident or exposure event, Oregon, 2001-2005

| Code | Accident or exposure event ² | ACCEPTANCE YEAR | | | | | | | | | |
|-------|---|-----------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| | | 2001 | | 2002 | | 2003 | | 2004 | | 2005 | |
| | | Total | % | Total | % | Total | % | Total | % | Total | % |
| TOTAL | | 24,645 | 100.0 | 23,482 | 100.0 | 21,832 | 100.0 | 22,325 | 100.0 | 22,114 | 100.0 |
| 0 | Contact with objects and equipment | 4,774 | 19.4 | 4,444 | 18.9 | 4,116 | 18.9 | 4,116 | 18.4 | 4,184 | 18.9 |
| 01 | Struck against an object | 1,051 | 4.3 | 972 | 4.1 | 951 | 4.4 | 934 | 4.2 | 966 | 4.4 |
| 011 | Stepped on object | 82 | 0.3 | 59 | 0.3 | 45 | 0.2 | 37 | 0.2 | 44 | 0.2 |
| 012 | Struck against a stationary object | 574 | 2.3 | 571 | 2.4 | 597 | 2.7 | 535 | 2.4 | 542 | 2.5 |
| 013 | Struck against a moving object | 163 | 0.7 | 143 | 0.6 | 143 | 0.7 | 169 | 0.8 | 185 | 0.8 |
| 01- | NEC, uns. struck against an object | 232 | 0.9 | 199 | 0.8 | 166 | 0.8 | 193 | 0.9 | 195 | 0.9 |
| 02 | Struck by an object | 2,307 | 9.4 | 2,273 | 9.7 | 2,034 | 9.3 | 2,121 | 9.5 | 2,140 | 9.7 |
| 021 | Struck by a falling object | 846 | 3.4 | 867 | 3.7 | 862 | 3.9 | 811 | 3.6 | 777 | 3.5 |
| 022 | Struck by a flying object | 272 | 1.1 | 254 | 1.1 | 235 | 1.1 | 251 | 1.1 | 278 | 1.3 |
| 023 | Struck by a swinging or slipping obj. | 621 | 2.5 | 600 | 2.6 | 484 | 2.2 | 539 | 2.4 | 527 | 2.4 |
| 024 | Struck by rolling, sliding object | 96 | 0.4 | 95 | 0.4 | 84 | 0.4 | 95 | 0.4 | 120 | 0.5 |
| 02- | NEC, uns. struck by an object | 472 | 1.9 | 457 | 1.9 | 369 | 1.7 | 425 | 1.9 | 438 | 2.0 |
| 03 | Caught in equipment or objects | 1,123 | 4.6 | 942 | 4.0 | 965 | 4.4 | 887 | 4.0 | 875 | 4.0 |
| 031 | Caught in running equip. or machinery | 508 | 2.1 | 379 | 1.6 | 335 | 1.5 | 344 | 1.5 | 296 | 1.3 |
| 032 | Compressed or pinched by object | 184 | 0.7 | 147 | 0.6 | 187 | 0.9 | 149 | 0.7 | 139 | 0.6 |
| 03- | NEC, uns. caught in equip. or object | 431 | 1.7 | 416 | 1.8 | 443 | 2.0 | 394 | 1.8 | 440 | 2.0 |
| 04 | Caught in collapsing materials | 11 | 0.0 | 5 | 0.0 | 4 | 0.0 | 8 | 0.0 | 8 | 0.0 |
| 05 | Rubbed, abraded by friction or pressure | 117 | 0.5 | 124 | 0.5 | 80 | 0.4 | 57 | 0.3 | 70 | 0.3 |
| 051 | Rubbed, abraded by kneeling on surface | 52 | 0.2 | 71 | 0.3 | 39 | 0.2 | 24 | 0.1 | 29 | 0.1 |
| 053 | Rubbed, abraded by matter in eye | 47 | 0.2 | 34 | 0.1 | 27 | 0.1 | 21 | 0.1 | 30 | 0.1 |
| 05- | Other, uns. rubbed by fric. or pressure | 18 | 0.1 | 19 | 0.1 | 14 | 0.1 | 12 | 0.1 | 11 | 0.0 |
| 06 | Rubbed, abraded or jarred by vibration | 99 | 0.4 | 60 | 0.3 | 60 | 0.3 | 23 | 0.1 | 41 | 0.2 |
| 0- | NEC, uns. contact with objects, equip. | 66 | 0.3 | 68 | 0.3 | 22 | 0.1 | 86 | 0.4 | 84 | 0.4 |
| 1 | Falls | 4,450 | 18.1 | 4,370 | 18.6 | 3,937 | 18.0 | 4,424 | 19.8 | 4,122 | 18.6 |
| 11 | Fall to lower level | 1,659 | 6.7 | 1,690 | 7.2 | 1,505 | 6.9 | 1,608 | 7.2 | 1,534 | 6.9 |
| 111 | Fall down stairs or steps | 313 | 1.3 | 315 | 1.3 | 290 | 1.3 | 279 | 1.2 | 258 | 1.2 |
| 112 | Fall from floor, dock or ground level | 109 | 0.4 | 97 | 0.4 | 99 | 0.5 | 113 | 0.5 | 88 | 0.4 |
| 113 | Fall from ladder | 389 | 1.6 | 395 | 1.7 | 351 | 1.6 | 436 | 2.0 | 404 | 1.8 |
| 114 | Fall from piled or stacked material | 22 | 0.1 | 21 | 0.1 | 14 | 0.1 | 5 | 0.0 | 11 | 0.0 |
| 115 | Fall from roof | 62 | 0.3 | 80 | 0.3 | 53 | 0.2 | 67 | 0.3 | 73 | 0.3 |
| 116 | Fall from scaffold, staging | 56 | 0.2 | 49 | 0.2 | 53 | 0.2 | 42 | 0.2 | 56 | 0.3 |
| 117 | Fall from girder, structural steel | 9 | 0.0 | 4 | 0.0 | 2 | 0.0 | 5 | 0.0 | 10 | 0.0 |
| 118 | Fall from nonmoving vehicle | 317 | 1.3 | 382 | 1.6 | 319 | 1.5 | 313 | 1.4 | 301 | 1.4 |
| 11- | NEC, uns. falls to lower level | 382 | 1.6 | 347 | 1.5 | 324 | 1.5 | 348 | 1.6 | 333 | 1.5 |
| 12 | Jump to lower level | 166 | 0.7 | 146 | 0.6 | 128 | 0.6 | 107 | 0.5 | 128 | 0.6 |
| 13 | Fall on same level | 2,586 | 10.5 | 2,486 | 10.6 | 2,303 | 10.5 | 2,690 | 12.0 | 2,441 | 11.0 |
| 131 | Fall to floor, walk or other surface | 1,888 | 7.7 | 1,976 | 8.4 | 1,926 | 8.8 | 2,245 | 10.1 | 2,071 | 9.4 |
| 132 | Fall onto or against objects | 468 | 1.9 | 366 | 1.6 | 312 | 1.4 | 374 | 1.7 | 323 | 1.5 |
| 13- | NEC, uns. fall on same level | 230 | 0.9 | 144 | 0.6 | 65 | 0.3 | 71 | 0.3 | 47 | 0.2 |
| 1- | NEC, uns. Falls | 39 | 0.2 | 48 | 0.2 | 1 | 0.0 | 19 | 0.1 | 19 | 0.1 |

See footnotes at end of table

(continued)

Table 1. Number and percentage of accepted disabling claims¹ by accident or exposure event, Oregon, 2001-2005, continued

| Code | Accident or exposure event ² | ACCEPTANCE YEAR | | | | | | | | | |
|------|---|-----------------|------|--------|------|--------|------|--------|------|--------|------|
| | | 2001 | | 2002 | | 2003 | | 2004 | | 2005 | |
| | | Total | % | Total | % | Total | % | Total | % | Total | % |
| 2 | Bodily reaction and exertion | 12,408 | 50.3 | 11,634 | 49.5 | 10,484 | 48.0 | 10,622 | 47.6 | 10,548 | 47.7 |
| 21 | Bodily reaction | 3,352 | 13.6 | 3,050 | 13.0 | 2,811 | 12.9 | 2,888 | 12.9 | 2,906 | 13.1 |
| 211 | Bending, climbing, reaching, twisting | 1,072 | 4.3 | 1,037 | 4.4 | 883 | 4.0 | 913 | 4.1 | 1,001 | 4.5 |
| 215 | Slip, loss of balance without falling | 821 | 3.3 | 582 | 2.5 | 526 | 2.4 | 634 | 2.8 | 623 | 2.8 |
| 21- | Other, uns. bodily reaction | 1,459 | 5.9 | 1,431 | 6.1 | 1,402 | 6.4 | 1,341 | 6.0 | 1,282 | 5.8 |
| 22 | Overexertion | 6,551 | 26.6 | 6,354 | 27.1 | 5,634 | 25.8 | 5,597 | 25.1 | 5,498 | 24.9 |
| 221 | Overexertion in lifting | 2,921 | 11.9 | 3,004 | 12.8 | 2,642 | 12.1 | 2,578 | 11.5 | 2,547 | 11.5 |
| 222 | Overexertion in pulling or pushing | 1,152 | 4.7 | 1,205 | 5.1 | 1,082 | 5.0 | 1,102 | 4.9 | 984 | 4.4 |
| 223 | Overexertion in holding or carrying | 1,287 | 5.2 | 1,068 | 4.5 | 766 | 3.5 | 590 | 2.6 | 485 | 2.2 |
| 22- | Other, uns. overexertion | 1,191 | 4.8 | 1,077 | 4.6 | 1,144 | 5.2 | 1,327 | 5.9 | 1,482 | 6.7 |
| 23 | Repetitive motion | 2,446 | 9.9 | 2,222 | 9.5 | 2,029 | 9.3 | 2,064 | 9.2 | 2,108 | 9.5 |
| 231 | Repetitive typing or keyentry | 260 | 1.1 | 208 | 0.9 | 163 | 0.7 | 112 | 0.5 | 128 | 0.6 |
| 232 | Repetitive use of tools | 384 | 1.6 | 307 | 1.3 | 267 | 1.2 | 225 | 1.0 | 219 | 1.0 |
| 233 | Repetitive grasping, moving objects | 535 | 2.2 | 503 | 2.1 | 391 | 1.8 | 320 | 1.4 | 201 | 0.9 |
| 23- | NEC, uns. repetitive motion | 1,267 | 5.1 | 1,204 | 5.1 | 1,208 | 5.5 | 1,407 | 6.3 | 1,560 | 7.1 |
| 2- | Other, uns. bodily reaction, exertion | 59 | 0.2 | 8 | 0.0 | 10 | 0.0 | 73 | 0.3 | 36 | 0.2 |
| 3 | Exp. to harmful substances or environs | 684 | 2.8 | 677 | 2.9 | 627 | 2.9 | 588 | 2.6 | 563 | 2.5 |
| 31 | Contact with electric current | 25 | 0.1 | 24 | 0.1 | 26 | 0.1 | 17 | 0.1 | 20 | 0.1 |
| 32 | Contact with temperature extremes | 234 | 0.9 | 232 | 1.0 | 195 | 0.9 | 193 | 0.9 | 170 | 0.8 |
| 323 | Contact with hot objects or substances | 219 | 0.9 | 219 | 0.9 | 182 | 0.8 | 179 | 0.8 | 160 | 0.7 |
| 32- | Other, uns. contact with temp. extreme | 15 | 0.1 | 13 | 0.1 | 13 | 0.1 | 14 | 0.1 | 10 | 0.0 |
| 34 | Exp. to caustic, noxious substances | 239 | 1.0 | 208 | 0.9 | 236 | 1.1 | 196 | 0.9 | 231 | 1.0 |
| 341 | Inhalation of substances | 58 | 0.2 | 55 | 0.2 | 60 | 0.3 | 51 | 0.2 | 60 | 0.3 |
| 342 | Contact with skin or exposed tissue | 123 | 0.5 | 104 | 0.4 | 102 | 0.5 | 93 | 0.4 | 99 | 0.4 |
| 343 | Injections, stings, venomous bites | 28 | 0.1 | 13 | 0.1 | 29 | 0.1 | 24 | 0.1 | 28 | 0.1 |
| 344 | Ingestion of substances | 1 | 0.0 | 1 | 0.0 | 3 | 0.0 | - | - | 1 | 0.0 |
| 34- | NEC, uns. exp. to substances | 29 | 0.1 | 35 | 0.1 | 42 | 0.2 | 28 | 0.1 | 43 | 0.2 |
| 35 | Exposure to noise | 157 | 0.6 | 178 | 0.8 | 142 | 0.7 | 144 | 0.6 | 107 | 0.5 |
| 37 | Exposure to traumatic, stressful event | 20 | 0.1 | 22 | 0.1 | 18 | 0.1 | 31 | 0.1 | 23 | 0.1 |
| 3- | Other, uns. exposures | 9 | 0.0 | 13 | 0.1 | 10 | 0.0 | 7 | 0.0 | 12 | 0.1 |
| 4 | Transportation accidents | 1,038 | 4.2 | 1,058 | 4.5 | 1,018 | 4.7 | 1,027 | 4.6 | 942 | 4.3 |
| 41 | Highway accident | 668 | 2.7 | 704 | 3.0 | 695 | 3.2 | 690 | 3.1 | 632 | 2.9 |
| 411 | Collsn. between vehicles, mobile equip. | 488 | 2.0 | 478 | 2.0 | 470 | 2.2 | 467 | 2.1 | 420 | 1.9 |
| 4112 | Moving in same direction | 130 | 0.5 | 155 | 0.7 | 150 | 0.7 | 158 | 0.7 | 133 | 0.6 |
| 4113 | Moving in opposite directions | 54 | 0.2 | 43 | 0.2 | 58 | 0.3 | 44 | 0.2 | 32 | 0.1 |
| 4114 | Moving in intersection | 118 | 0.5 | 83 | 0.4 | 71 | 0.3 | 77 | 0.3 | 83 | 0.4 |
| 4115 | Moving, standing vehicle in roadway | 112 | 0.5 | 115 | 0.5 | 98 | 0.4 | 93 | 0.4 | 85 | 0.4 |
| 4116 | Moving, standing vehicle road side | 10 | 0.0 | 9 | 0.0 | 7 | 0.0 | 9 | 0.0 | 9 | 0.0 |
| 411- | Other, uns. collsn. between vehicles | 64 | 0.3 | 73 | 0.3 | 86 | 0.4 | 86 | 0.4 | 78 | 0.4 |

See footnotes at end of table
(continued)

Table 1. Number and percentage of accepted disabling claims¹ by accident or exposure event, Oregon, 2001-2005, continued

| Code | Accident or exposure event ² | ACCEPTANCE YEAR | | | | | | | | | |
|------|---|-----------------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| | | 2001 | | 2002 | | 2003 | | 2004 | | 2005 | |
| | | Total | % | Total | % | Total | % | Total | % | Total | % |
| 414 | Noncollision accident | 98 | 0.4 | 119 | 0.5 | 118 | 0.5 | 128 | 0.6 | 108 | 0.5 |
| 4141 | Jack-knifed or overturned | 51 | 0.2 | 72 | 0.3 | 59 | 0.3 | 66 | 0.3 | 56 | 0.3 |
| 4142 | Ran off highway | 25 | 0.1 | 22 | 0.1 | 23 | 0.1 | 23 | 0.1 | 33 | 0.1 |
| 414- | Other, uns. noncollision accident | 9 | 0.0 | 13 | 0.1 | 19 | 0.1 | 25 | 0.1 | 9 | 0.0 |
| 41- | Other, uns. highway accident | 82 | 0.3 | 107 | 0.5 | 107 | 0.5 | 95 | 0.4 | 104 | 0.5 |
| 42 | Nonhighway accident | 168 | 0.7 | 156 | 0.7 | 150 | 0.7 | 133 | 0.6 | 140 | 0.6 |
| 421 | Coll. Between vehicles or mobile equip. | 13 | 0.1 | 13 | 0.1 | 14 | 0.1 | 12 | 0.1 | 15 | 0.1 |
| 422 | Vehicle, mobile equip. struck object | 21 | 0.1 | 23 | 0.1 | 26 | 0.1 | 18 | 0.1 | 23 | 0.1 |
| 423 | Noncollision accident | 128 | 0.5 | 113 | 0.5 | 103 | 0.5 | 96 | 0.4 | 95 | 0.4 |
| 42- | NEC, uns. nonhighway accident | 6 | 0.0 | 7 | 0.0 | 7 | 0.0 | 7 | 0.0 | 7 | 0.0 |
| 43 | Worker struck by vehicle | 168 | 0.7 | 163 | 0.7 | 151 | 0.7 | 174 | 0.8 | 135 | 0.6 |
| 433 | Worker struck in parking lot | 117 | 0.5 | 121 | 0.5 | 107 | 0.5 | 137 | 0.6 | 104 | 0.5 |
| 43- | Other, uns. worker struck by vehicle | 51 | 0.2 | 42 | 0.2 | 44 | 0.2 | 37 | 0.2 | 31 | 0.1 |
| 44 | Railway accident | 5 | 0.0 | 4 | 0.0 | 2 | 0.0 | - | - | 4 | 0.0 |
| 45 | Water vehicle accident | 1 | 0.0 | 2 | 0.0 | 2 | 0.0 | 1 | 0.0 | 2 | 0.0 |
| 46 | Aircraft accident | 9 | 0.0 | 9 | 0.0 | 15 | 0.1 | 7 | 0.0 | 6 | 0.0 |
| 4- | NEC, uns. transportation accident | 19 | 0.1 | 20 | 0.1 | 3 | 0.0 | 22 | 0.1 | 23 | 0.1 |
| 5 | Fire or explosion | 26 | 0.1 | 40 | 0.2 | 32 | 0.1 | 32 | 0.1 | 45 | 0.2 |
| 51 | Fire | 8 | 0.0 | 12 | 0.1 | 10 | 0.0 | 8 | 0.0 | 15 | 0.1 |
| 52 | Explosion | 18 | 0.1 | 28 | 0.1 | 22 | 0.1 | 24 | 0.1 | 30 | 0.1 |
| 6 | Assaults and violent acts | 329 | 1.3 | 315 | 1.3 | 306 | 1.4 | 315 | 1.4 | 315 | 1.4 |
| 61 | Assaults and violent acts by person(s) | 269 | 1.1 | 265 | 1.1 | 233 | 1.1 | 243 | 1.1 | 240 | 1.1 |
| 612 | Hitting, kicking, beating | 104 | 0.4 | 110 | 0.5 | 105 | 0.5 | 95 | 0.4 | 83 | 0.4 |
| 613 | Shooting | 1 | 0.0 | 7 | 0.0 | 4 | 0.0 | 2 | 0.0 | 3 | 0.0 |
| 614 | Grabbing, twisting, scratching | 21 | 0.1 | 14 | 0.1 | 15 | 0.1 | 13 | 0.1 | 18 | 0.1 |
| 617 | Threats or Verbal Assaults | 13 | 0.1 | 7 | 0.0 | 9 | 0.0 | 4 | 0.0 | 7 | 0.0 |
| 61- | Other, uns. violence by person(s) | 130 | 0.5 | 127 | 0.5 | 100 | 0.5 | 129 | 0.6 | 129 | 0.6 |
| 63 | Assaults by animals | 60 | 0.2 | 50 | 0.2 | 73 | 0.3 | 72 | 0.3 | 75 | 0.3 |
| 9999 | Nonclassifiable | 936 | 3.8 | 944 | 4.0 | 1,312 | 6.0 | 1,201 | 5.4 | 1,395 | 6.3 |

Footnotes:

¹ Accepted disabling claims are claims, accepted by insurers, arising from occupational injuries or diseases that entitle workers to compensation for disability or death.

² Claims are listed according to the [Occupational Injury and Illness Classification System \(OIICS\)](#).

- Dashes indicate no claims were received.

0.0 percent indicates the percentage of claims calculates to less than 0.05.

Note: NEC = Not elsewhere classified.

Uns. = Unspecified. Information not available to classify at a more detailed level.

Other = Other OIICS categories not listed.

Source: Information Management Division, Oregon Department of Consumer and Business Services.